EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S289	118	(off$1line OR on$1line OR connected) WITH (dummy OR false OR wrong) NEAR2 (response OR reply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:31
S314	36	((INTEL near2 CORPORATION) OR INTEL).as. AND (KNAUERHASE near2 ROBERT).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:30
S313	36312	((INTEL near2 CORPORATION) OR INTEL).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:30
S307	69	(determine$3 AND (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) AND ((unavailable OR not$1available OR off$1line OR on$1line OR busy) AND (Intermediary OR proxy OR intermediate OR agent OR manager)) AND (queu$3 OR buffer$3) AND (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) AND (request OR discover)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON·	2007/11/06 19:29
S306	328	(((dummy OR pseudo) AND response) AND availab$5).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:29
S312	5	S310 AND determine$3 AND (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) AND ((unavailable OR not$1available OR off$1line OR on$1line OR busy)) AND (dummy OR pseudo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:28
S311	26	S310 AND determine$3 AND (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) AND ((unavailable OR not$1available OR off$1line OR on$1line OR busy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:24

S308	1	(determine$3 AND (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) AND ((unavailable OR not$1available OR off$1line OR on$1line OR busy) AND (Intermediary OR proxy OR intermediate OR agent OR manager)) AND (queu$3 OR buffer$3) AND (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) AND (request OR discover) AND ((dummy OR pseudo) AND response) AND availab$5). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:23
S310	72	(KNAUERHASE near2 ROBERT).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:22
S304	2	S302 AND discover$3 NEAR2 request AND (on$1line OR off$1line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:22
S309	3	(determine$3 AND (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) AND ((unavailable OR not$1available OR off$1line OR on$1line OR busy) AND (Intermediary OR proxy OR intermediate OR agent OR manager)) AND (queu$3 OR buffer$3) AND (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) AND (request OR discover) AND (dummy OR pseudo)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:21
S270	1	((dummy OR pseudo) NEAR2 response) NEAR3 availab$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:18
S233	12	determine$3 NEAR4 (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR on$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queu$3 OR buffer$3) SAME (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:18
S305	1	discover$3 NEAR2 request SAME (on$1line OR off$1line) SAME (registry OR UDDI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S303	4	S302 AND discover$3 NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S302	36	S301 SAME (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S301	1608	("universal description discovery and integration") OR UDDI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S300	4	(dummy OR false OR wrong) NEAR2 (response OR reply) AND S293	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S299	0	(dummy OR false OR wrong) NEAR2 (response OR reply) SAME S293	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S298	3664	(dummy OR false OR wrong) NEAR2 (response OR reply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S297	6	S292 AND S294	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S296	1	S292 AND S295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S295	7487	("universal description discovery and integration") OR UDDI OR LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S294	31702	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S293	1185	indicat$4 (on$1line OR connected) (off$1line OR not$1connect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/11/06 19:02
S292	60	indicat$4 (on$1line OR connected) (off$1line OR not$1connect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/11/06 19:02
S291	61	(off$1line OR on$1line OR connected) WITH dummy NEAR2 response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S290	1	(off$1line OR on$1line) WITH dummy NEAR2 response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S288	2	off$1line WITH (dummy OR false OR wrong) NEAR2 (response OR reply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S287	1	off$1line WITH (dummy OR false OR wrong) NEAR2 response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S286	1	off$1line WITH dummy NEAR2 response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S285	8	(US-20030100307-$ or US-20030158915-$ or US-20020143819-$ or US-20040213409-$).did. or (US-7054618-$ or US-7149892-$ or US-7155425-$ or US-7035921-$).did.	US-PGPUB; USPAT	OR	ON	2007/11/06 19:02

S284	27	S283 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S283	64	(service OR server) NEAR2 unavailable NEAR4 error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S282	0	(service OR server) NEAR2 unavailabe NEAR4 error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S281	10	other NEAR3 task NEAR3 wait$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S280	1279	other NEAR3 task NEAR3wait$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S279	2	S274 AND @ad<"20030630" AND intercept$3 AND order AND delay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S278	8	S274 AND @ad<"20030630" AND intercept$3 AND order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S277	2	S274 AND @ad<"20030630" AND intercept$3 AND (in ADJ order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S276	8	S274 AND @ad<"20030630" AND intercept$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S275	13	S274 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S274	24	ACK WITH acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S273	43	S272 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S272	60	((dummy OR pseudo) WITH response) WITH availab$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S271	1	pseudo ADJ registry OR (pseudo ADJ service ADJ provider)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S269	6	((dummy OR false OR pseudo) NEAR2 response) NEAR3 availab$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S268	6	((dummy OR false) NEAR2 response) NEAR3 availab$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S267	1	(dummy NEAR2 response) NEAR3 availab$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S266	5	S265 AND UDDI AND discover$3 AND registr$4 AND (off$1line OR unavailable OR busy)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02

11/14/07 9:35:55 AM
C:\Documents and Settings\ygerezgiher\My Documents\EAST\Workspaces\10611773 [TRANSPARENT DISCONNECTED SERVICES DISCOVER

Page 6

S265	13	(US-20070033597-$ or US-20050021663-$ or US-20040003033-$ or US-20030100307-$ or US-20020165945-$ or US-20030158915-$ or US-20040090966-$ or US-20020143819-$ or US-20040213409-$).did. or (US-7103628-$ or US-7171470-$ or US-7054618-$ or US-7149892-$ or US-7111006-$ or US-7155425-$).did.	US-PGPUB; USPAT	OR	ON	2007/11/06 19:02
S264	1	("7155425").PN.	USPAT	OR	OFF	2007/11/06 19:02
S263	40	S259 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S262	7	S261 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S261	10	(server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) NEAR3 ((unavailable OR not$1available OR off$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) WITH queu$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S260	2	(server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) NEAR3 ((unavailable OR not$1available OR off$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) NEAR2 queu$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S259	57	(server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) NEAR3 ((unavailable OR not$1available OR off$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queu$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S258	336	S257 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S257	477	(server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queu$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S256	17	(server OR registr$4) NEAR3 (unavailable OR not$1available OR off$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach$3 OR buffer$3) SAME (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S255	0	Determin$3 NEAR4 (server OR registr$4) NEAR3 (unavailable OR not$1available OR off$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach$3 OR buffer$3) SAME (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S254	0	Determin$3 NEAR4 (server OR registr$4) NEAR3 (unavailable OR not$1available OR off$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach$3 OR buffer$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S253	29	S252 SAME (Queue OR cach$3 OR buffer$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S252	318	Determin$3 NEAR4 (server OR registr$4) NEAR3 (unavailable OR not$1available OR off$1line OR busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S251	212	S250 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S250	274	S249 SAME (unavailable OR not$1available OR off$1line OR busy) NEAR5 (server regist$4 authenticat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S249	48876	(Queue OR cach$3 OR buffer$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S248	2	("20040267882").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02

S247	9	(UDDI AND registry).ab. AND S246	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S246	31702	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S245	4	(UDDI AND registry).ab. AND S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S244	1	determin$4 SAME (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR on$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queu$3 OR buffer$3) SAME (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) SAME (request OR discover) AND S243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S243	16774	(707/3,9,10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S242	15	S240 and @ad<"20030630" and UDDI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S241	29	S240 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S240	67	S239 AND (Intermediary OR proxy OR intermediate OR agent OR manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

11/14/07 9:35:55 AM
C:\Documents and Settings\ygerezgiher\My Documents\EAST\Workspaces\10611773 [TRANSPARENT DISCONNECTED SERVICES DISCOVER

Page 9

S239	86	discover$4 NEAR2 services NEAR4 registr$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S238	4	S236 AND S237	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S237	13	(US-20050021663-$ or US-20040003033-$ or US-20030158915-$ or US-20030100307-$ or US-20020165945-$ or US-20040090966-$ or US-20020143819-$ or US-20040213409-$ or US-20020004796-$).did. or (US-7171470-$ or US-7149892-$ or US-7111006-$ or US-7054618-$).did. or (WO-200293289-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/11/06 19:02
S236	9379	(server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR on$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S235	23	S234 AND @ad<"20030630" NOT S233	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S234	42	determin$4 SAME (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR on$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queu$3 OR buffer$3) SAME (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S232	12	determin$4 NEAR4 (server OR service OR registr$3 OR (UDDI ADJ registr$3) OR provider) SAME ((unavailable OR not$1available OR off$1line OR on$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queu$3 OR buffer$3) SAME (re$1transmit$3 OR re$1send$4 OR communicat$3 OR transmit$4 OR send$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S231	19	S230 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S230	41	("universal description discovery and integration") OR UDDI AND S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S229	2406	(server OR service OR registry) SAME ((unavailable OR not$1available OR off$1line OR on$1line) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S228	12	DHCP ADJ server SAME ((unavailable OR not$1available OR off$1line) AND (Intermediary OR proxy OR intermediate)) AND S227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S227	1315	DHCP NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S226	4267	DHCP ADJ server ((unavailable OR not$1available OR off$1line) SAME (Intermediary OR proxy OR intermediate)) AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S225	4267	DHCP ADJ server ((unavailable OR not$1available OR off$1line) SAME(Intermediary OR proxy OR intermediate)) AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S224	4267	DHCP ADJ server ((unavailable OR not$1available OR off$1line) AND (Intermediary OR proxy OR intermediate)) AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S223	4	(server OR service OR registry) SAME ((unavailable OR not$1available OR off$1line) AND (Intermediary OR proxy OR intermediate)) AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S222	2	(server OR service OR registry) SAME ((unavailable OR not$1available OR off$1line) SAME (Intermediary OR proxy OR intermediate)) AND S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S221	71	DHCP discover request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 19:02
S220	38	S210 AND S219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S219	591	(server OR service OR registry) SAME ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S218	10	S217 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S217	23	UDDI.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S216	30	S215 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S215	104	S214 AND discover$3 NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S214	1720	("universal description discovery and integration") OR UDDI OR LDAP AND S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S213	1178	registry ADJ (server OR service)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S212	438	registry ADJ server	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S211	21	S210 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S210	38	determin$4 NEAR2 (server OR service OR registry) SAME ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S209	8	TCP WITH ACK WITH acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S208	98	TCP NEAR3 acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S207	29	S204 NOT S205	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S206	44	S201 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02
S205	15	S204 AND S203	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/11/06 19:02

S204	44	S201 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S203	31702	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S202	2	S198 AND discover$3 AND (Queue OR cash$3 OR buffer$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S201	59	S199 AND discover$3 AND (Queue OR cash$3 OR buffer$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S200	59	S197 AND discover$3 AND (Queue OR cash$3 OR buffer$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S199	593	S197 AND discover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S198	44	S196 AND discover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S197	1050	S195 AND ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) AND (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S196	105	S195 AND ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S195	15521	("universal description discovery and integration") OR UDDI OR LDAP OR (service NEAR2 directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S194	645	S191 AND ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) AND (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S193	65	S191 AND ((unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S192	925	S191 AND (unavailable OR not$1available OR off$1line) WITH (directory OR registr$5 OR server OR service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S191	7487	("universal description discovery and integration") OR UDDI OR LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S190	2	("20020041667").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S189	9	S188 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S188	19	client NEAR2 discovery NEAR2 request AND S187	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S187	7487	("universal description discovery and integration") OR UDDI OR LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S186	3	S184 SAME unavailable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S185	4	S184 SAME registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S184	65	client NEAR2 discovery NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S183	15	S179 AND discover$3 AND @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S182	14	S179 AND discover$3 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S181	4	S179 AND discover$3 NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S180	34	S179 AND discover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S179	36	S173 SAME (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S178	406	S173 AND (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

11/14/07 9:35:55 AM
C:\Documents and Settings\ygerezgiher\My Documents\EAST\Workspaces\10611773 [TRANSPARENT DISCONNECTED SERVICES DISCOVER

Page 16

S177	11	S176 AND (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S176	27	S174 AND S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S175	31702	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S174	92	S173 AND (client WITH discover$3 WITH request$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S173	1608	("universal description discovery and integration") OR UDDI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S172	6	S171 AND LON	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S171	12	(SOEMO NEAR MICHAEL).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S170	19	S166 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S169	24476469	@ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02

S168	27	S166 AND S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S167	31702	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 19:02
S166	92	S164 AND (client WITH discover$3 WITH request$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S165	1415	S164 AND discover$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02
S164	1608	("universal description discovery and integration") OR UDDI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/06 19:02